

# **Borough of Spring Lake**

## **Tree Removal Permit**

Date: \_\_\_\_\_

Block: \_\_\_\_\_

Lot: \_\_\_\_\_

Tree Removal Fee: \$50.00

Check: \_\_\_\_\_

Cash: \_\_\_\_\_

Location: \_\_\_\_\_

Right of Way Fee: \$25.00

Check: \_\_\_\_\_

Cash: \_\_\_\_\_

New Construction (Principal Building): \_\_\_\_\_ Vacant Lot: \_\_\_\_\_

Applicant/Owner: \_\_\_\_\_ Tel. #: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

Contractor: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

Trees to be removed #: \_\_\_\_\_ Species: \_\_\_\_\_ Caliper: \_\_\_\_\_

Purpose of removing tree(s): \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Tree Replacement Plan (Section 356-17) – Rec'd: \_\_\_\_\_ Date: \_\_\_\_\_

Applicant Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Code Enforcement Officer: \_\_\_\_\_ Date: \_\_\_\_\_

**Tree Replacement Plan:** Shall consist of the following

- Site plan, survey or plot plan (1"=20') showing location, number, caliper (4" or greater) and species of existing trees to be removed.

**Replacement requirements:** Caliper (diameter) measured @ 54" above ground

| Size of Tree Removed          |   | Number of Replacement Trees with at Least 2 1/2 |
|-------------------------------|---|---|
| 4 but not more than 6         | - | 1 Tree  |
| More than 6 but less than 10  | - | 2 Trees   |
| More than 10 but less than 16 | - | 3 Trees   |
| More than 16                  | - | 4 Trees   |

**Replacement Fund:** In lieu of planting replacement trees:

| Size/DBH                               |   | Replacement tree value |
|--|---|------------------------|
| Greater than 4 inches up to 6 inches   | - | \$400.00               |
| Greater than 6 inches up to 10 inches  | - | \$800.00               |
| Greater than 10 inches up to 16 inches | - | \$1,200.00             |
| Greater than 16 inches                 | - | \$1,500.00             |

**Note:** In the event a tree(s) were removed from a site without a permit and without prior approval, the number of trees requiring mitigation shall be computed by assuming that 10 trees with a caliper of 12" or more were removed unless adequate proof is approved by the Code Enforcement Officer.

**Recommended deciduous street trees:** Sycamore, Willow Oak, Red Maple (not Japanese or swamp variety), Green Spire Littleleaf Linden, Pear Trees (Red Spire & Aristocrat) and Red Oak.

**Right of Way:** That area between the sidewalk and the curbing along the street cartways.